## **Home Improvement Project Checklist**

Unit Number:	Unit Owner:
Proof of homeowner's i	nsurance attached:
ATTACH:	
Description/scope of project	t: Floor plan/sketch of project area:
Damage deposit:	Acknowledgement page:
Rules signed:	Scope of work signed by homeowner:
professional licenses <u>MUST</u> Renaissance I Association, I	or liability and workers compensation and applicable accompany this application. All certificates must name Inc. 750 N Tamiami TR, Sarasota, FL 34236 as certificate
List all contractors and subc licenses	contractors and provide insurance and applicable professional
Contractor: Liability	Workers Comp Professional License:
	Workers Comp Professional License:  or owner waiver Professional License: or owner waiver
Plumber: Liability	
Plumber: Liability	Workers Comp Professional License:
Plumber: Liability  Electrician: Liability  Other subcontractors: (list)	Workers Comp Professional License:
Plumber: Liability  Electrician: Liability  Other subcontractors: (list)	Workers Comp Professional License: or owner waiver Workers Comp Professional License: or owner waiver
Plumber: Liability  Electrician: Liability  Other subcontractors: (list)	Workers Comp Professional License: or owner waiver Professional License: or owner waiver COI: License:
Plumber: Liability  Electrician: Liability  Other subcontractors: (list)	Workers Comp Professional License: Or owner waiver Professional License: Or owner waiver COI: License: COI: License:
Plumber: Liability  Electrician: Liability  Other subcontractors: (list)  Manager's signature:	Workers Comp Professional License: Workers Comp Professional License: or owner waiver COI: License: COI: License: COI: License:

\*\*\*\*Copy of scope of work and Arc committee approval given to homeowner: \_

## Renaissance I Association, Inc. Architectural Review Committee

Owner:	Unit Number:
Contractor Company Name:	
Phone:	Email:
Job Supervisor:	Phone:
of materials to be used; certificate of	description and specifications for project, to include description f insurance; applicable tradesman licenses; sketch of project area obtain floor plan from office if necessary) date project to begin
similar specs to existing materials. i. CPVC schedule 40 for cold water ar be fire code rated. Marble flooring c	ding materials must be code and/or Association approved and of e.e. metal studs. Wiring must maintain BX or conduit. Plumbing and CPVC schedule 80 for hot water. Wallboard and caulk must cannot be less than 3/8". All hard flooring must have ssion rating of not less than 72. List of all materials and related
must be covered by approved materiate.) Floor covering must be remove deposit will be returned if common a	ting in the common area hallways from elevator to unit door ial (ramboard, builder foam, finished floor guard, poly-kraft, ed at the end of your workday, but no later than 5 pm. The areas are kept clean during the project and left undamaged. All e removed from the property by contractor.
	s: No in-unit construction will be permitted the week of irst Monday following Thanksgiving. Work must stop again on January 3 <sup>rd</sup> .
All of the above documentation must Please permit 10 business days for a	st accompany this form and be submitted at time of application. approval.
above. (2 copies of Rules are attached	ome Improvement Rules and understands the Rules and the text ed to this form) Contractor must sign one copy of the Rules and station. PROJECT WILL NOT BE APPROVED WITHOUT NATURES.
Signature of Contractor Owner or O	fficer:
Address to return deposit:	

### Planning & Development Services Building Permit Requirement Guidelines

## Sarasota County

## When do I need a Building Permit?

Owner, licensed contractor or its authorized agent, who desires to construct, enlarge, alter, repair, move, demolish, or change the occupancy of a building or structure, or to erect, install, enlarge, alter, repair, remove, convert or replace any electrical, gas, mechanical or plumbing system, the installation of which is regulated by the technical codes, or to cause any such work to be done, shall first make application to the Building Official and obtain the required permit for the work




- 1. Any construction which alters the size or occupancy of a building.
- 2. Construction, alteration, or replacement of any exterior walls.
- 3. Enclosing existing carports, porches and screen rooms for any purpose.
- 4. Construction of any raised deck, attached or detached, with or without a roof.
- 5. Replacement of columns, beams, joists, rafters, or any other structural component.
- 6. Replacement of wall, floor, or roof sheathing.
- 7. Repair and replacement of interior or exterior stairs and/or guardrails.
- 8. Electrical, plumbing, or air-conditioning when altering, adding to, or deleting from the system.
- 9. Interior load bearing and non load bearing walls, alterations or replacements
- 10. Replacement of windows, doors, garage doors or skylights in existing or altered wall openings.
- 11. Hurricane shutters, all types. Electric permit also required for power operated units.
- 12. Roofing, replacement of any roofing component.
- 13. Masonry or engineered Styrofoam privacy walls or fences with any masonry components.
- 14. Dock, Boat-lift, Seawall, or Bulkhead installation or repair.
- 15. Fire repairs of any type or scope.
- 16. Storage or utility sheds, all types, all materials, and all sizes.
- 17. Motorized or electric gates.
- 18. Chickee and Tiki Huts
- 19. Decks, whether raised or on grade, on businesses.
- 20. Stucco over wood frame
- 21. Drywall removal & replacement (3 sheets or more)
- 22. Accessory structures for mobile homes



Call 366-TIPS (8477) or report online at: www.sarasotacrimestoppers.com You never have to give your name and you could be eligible for a cash reward.






Questions? Report building without a permit anonymously.

Contact us: 941-861-5000

e-mail: ULA@scgov.net

### Planning & Development Services Building Permit Requirement Guidelines

# Some Examples of when a Permit is NOT required:



Some non-permitted items below require a licensed contractor, please contact Licensing at: 941-861-5214

- 1. Painting. (Except when advertised as water proofing.)
- 2. Wall paper and other wall coverings. (Except Assembly, Day Care, and Institutional Occupancies.)
- 3. Floor and wall tile.
- 4. Rugs or carpeting.
- 5. Replacing kitchen cabinets. (Except when altering, adding to, or deleting electrical, plumbing, or air-conditioning from the system)
- 6. Replacement of fascia and soffit. (1 & 2 Family Dwellings only) Existing structure only
- 7. Non-structural siding placed over existing siding/sheathing. (1 & 2 Family Dwellings only.)
- 8. Decks and patios directly on grade and without footings. (Any material, 1 & 2 family residences only)
- 9. Small, incidental roof leak repair. (1 Square and \$500 or less.)

 $oldsymbol{\wedge}$ 

- 10. Non-residential farm buildings on working farms. (Must meet specific criteria and be approved by the building and zoning officials to be exempt.)
- 11. Window/door change outs and re-roofing permits are no longer required for Residential Mobile/Manufactured homes, effective March 1, 2013. (*All work must still be performed by a licensed contractor*)
- 12. Residential home alarms (wired or wireless)

#### FENCES

Permits are no longer required for chain link, wood or vinyl fences both on the mainland (Ord. No 2011-13, effective 05/17/11) and Siesta Key (Ord. No. 2011-036, effective 07/07/11). However, the standards with regard to height, placement, and finished side must face neighbor or right-of-way, etc. are still in effect. For questions regarding fence standards, please call 861-5000 and ask for Zoning.

Note: Some items above may require a building permit if the building is in a flood zone or part of a greater project. Issuance of a Building Permit is NOT a license to exceed the Scope of Work listed on the Permit Application. Any change to the scope of work must be first approved by the building official, and the scope of work listed on the permit must be corrected.

Date:	Unit Number:
Homeowner's Name (pri	nt):
copies are attached. Com	ed and understand the Renaissance Home Improvement Rules. Two pany owner or corporate officer must initial each page and sign front gned and initialed copy with all applicable job documentation and ls.
Company Name (printed	
Contractor/Job Superviso	r Name (printed):
Contractor/Job Superviso	r Telephone Number:
To be signed by co	ompany owner or corporate officer only:
Printed Name:	
Title:	

### **Table of Contents**

Common Area Protection4	
Conduct4	
Debris4	
Deliveries4	
Electrical5	
Fees5	
Fire Safety Equipment5	
Flammable Materials5	
Hoisting5	
Hours6	
Inspection6	
Liens6	
Miscellaneous6	
Nuisances7	
Parking7	
Permits7	
Plumbing7	
Security7	
Smoke Detectors7	
Sprinkler System8	
Stone Work and Tile8	
Strictly Prohibited Work8	
Utilities8	
Appendix A9	
Application Form16	3

### Introduction

While the Board of Directors recognizes the desire of an owner to make their unit conform to their own personal requirements, the Association must balance that desire with the rights of all owners. The following rules are intended to protect the safety and comfort of all residents and to preserve and protect the common elements of the building.

Any owner who desires to remodel a unit must comply with these rules and furnish a copy of these rules to any architect, designer, contractor and/or tradesperson who plans to perform work in the Renaissance. The Architectural Review Committee, who acts on behalf of the Board of Directors, must approve all work in advance. The owner must permit inspection of the unit by a representative of the Administrative Office at any time during construction and upon completion.

Prior to beginning any work, the owner must:

- Notify Management and provide a detailed written proposal or plan describing the scope of work to be performed (including the location and extent of any demising walls to be removed or installed). The owner's contractor must submit a detailed construction and work schedule prior to commencement of the work. The schedule should indicate the start of construction, duration of project and anticipated construction completion date.
- All plans must be certified by a registered architect or engineer and state that all work will be performed in accordance with the City of Sarasota Building Codes, the Declaration of Condominium of the Renaissance I Condominium Association, and these Home Improvement Rules.
- Retain only bonded contractors to perform the work. The Renaissance I Association must approve all contractors.
- Provide Management with a Certificate of Insurance for Workers Compensation, General Liability and Umbrella from either a homeowner's insurance carrier if the owner is performing the work, or the contractor's insurance carrier, naming as additional insured the Renaissance I Condominium Association.
- The use of jackhammers, chipping hammers or coring is strictly prohibited. Channeling the ceiling or concrete floors is not permitted. Cutting of concrete is strictly prohibited. See section detailing "Strictly Prohibited Work." The Renaissance I Board of Directors and Community Association Manager reserves the right to prohibit any tool or device that may cause structural damage, intolerable noise or nuisance, either prior to or during the actual work.

The insurance coverage must be provided by a company licensed by the State of Florida and must provide thirty (30) days written notice of expiration or cancellation.

Co. owner or officer initials:	Page :
Co. owner or officer initials:	Page

All work done within any unit must comply with the following rules.

### Common Area Protection

The contractor shall provide floor protection between the service elevator and the unit to prevent tracking dirt throughout the common areas. Any paint, dust or other stains or debris must be cleaned up immediately. The doors to the unit must remain closed while work is in progress. The contractor must protect building finishes. Any damage to the building will be charged to the unit owner. A second offense will lead to immediate removal of the contractor from the premises.

### Conduct

The unit owner is responsible for all actions of the unit owner's contractors, employees, agents and visitors. No loud, abusive or offensive language or actions will be permitted. Playing of music or radios that can be heard outside of the unit is not permitted. Inappropriate attire including, but not limited to short pants, shirtless or clothing with offensive messages will not be permitted. No smoking is permitted in the common areas.

### **Debris**

The unit owner is responsible for seeing to the removal of all debris. No debris may be left in the trash chute rooms, elevator alcoves, or put down the garbage chute. Disposal of construction debris is not permitted in the building compactor. If construction debris is found in the building compactor, the unit owner will be billed for the trash removal at a rate of not less than \$100.00 per incident.

### **Deliveries**

The unit owner must notify the Administrative Office who will authorize entry of the workers into the building each day the work is to be performed. The owner shall provide the contractor with a key to the unit if the owner will not be present. Do not provide a building entry key fob to contractors. When the contractor arrives, the Reception Desk personnel will ask them to sign the guest register and then permit access to the building via the service elevator. The Association will not make deliveries to the unit, and will not supervise workers in the absence of the owner.

Contractors must sign in and out each day in the logbook located at the Reception Desk. Scheduling deliveries of contractor equipment or material must be coordinated with the Administrative Office a minimum of 48 hours in advance of delivery. All contractor personnel, equipment, material and debris must be transported via the service elevator only.

Co. owner	or	officer	initials:	
				Page 4

Arrangements for the delivery of oversized materials must be made through the elevator maintenance contractor at the unit owner's expense. The service elevator has an opening door width of 48", with an 8' car depth and an 8' car height. The loading dock is located at the Northeast corner of the building, adjacent to the parking lot. This area is limited to loading and unloading only. Parking in this area is prohibited. Materials may not be stored in the dock areas, the service hallway, or any common element.

### **Electrical**

When electrical service upgrades are planned, the unit owner must obtain approval by a licensed electrical engineer of the load data sheets and panel schedules. All wiring must be copper. Aluminum feeders or connectors are not permitted. All electrical wiring must meet code. A copy of the electrician's license must be provided with project approval application.

#### Fees

Any legal or engineering fees incurred by the Association as a result of the unit owner's remodeling project shall be charged to, and reimbursed by the unit owner.

### Fire Safety Equipment

Contractors performing tile work, painting, and installations of wall coverings or cabinetry are not permitted to remove or turn off the electrical circuits to the smoke alarms or fire safety equipment. When this equipment is turned off there is a serious safety issue.

### Flammable Materials

Volatile or flammable materials must be enclosed in an unbreakable and safe container. Welding or cutting torches are not permitted. All contractors, residents and other parties on the premises are not permitted to smoke during the use of any flammable material. Any hazardous materials and flammable materials must be removed from the unit premises each day.

### Hoisting

Any hoisting of materials must be scheduled and coordinated with the Association a minimum of 48 hours prior to the time needed for the deliveries.

All material to be hoisted must be delivered to the loading dock and moved to the work area immediately. Material may not be left or stored at the loading dock, or block or limit the use of the facility in any way. Parking or blocking of the roadway leading to the loading dock is subject to towing or removal at the contractor's expense.

Co. owner or officer initials:	Page	5
--------------------------------	------	---

### Hours

All work shall be performed between the hours of 8:00 a.m. through 5:00 p.m. Monday through Friday for construction and deconstruction work, and 11:00 a.m. through 5:00 p.m. on Saturdays for quiet work, e.g., painting. No work may be performed on Sundays or holidays.

### Inspection

Management reserves the right to inspect all remodeling work and to stop the work if it is not in compliance with the project that was approved within these Rules. If unapproved work is performed, the unit owner must restore the unauthorized work to its original condition at the owner's expense.

### Liens

The contractor or sub contractor shall have no authority to place a lien upon the Condominium Association or any interest therein.

### Miscellaneous

Management will provide the building plans for review upon the unit owner's request, but the plans may not be removed from the building Administrative Office.

All tools, building materials and personnel will travel by the service elevator only.

All tools, materials and equipment must remain within the unit and may not be stored in any of the common areas, including the loading dock area.

Employees of the Renaissance I Condominium Association may not loan out any tools or equipment.

Contractors are not permitted to smoke in the common areas, including, but not limited to the lobby, hallways, stairwells, etc.

Screens may only be placed on the interior of the sliding glass doors inside the unit. See the Community Association Manager for information about local "roll-up" screen vendors.

No nailing or screwing is permitted in the concrete ceilings and floors to prevent interference with embedded post-tensioning cables. An errant screw or nail that pierces a cable could result in major damage to the building infrastructure and could expose the owner to serious liability claims.

The unit owner is responsible for compliance with all Home Improvement Rules. It is the unit owner's responsibility to provide a copy of these Home Improvement Rules to every contractor, and the contractor must instruct his employees and

Co. owner or officer initials:	Page 6
Co. Owner of officer initials.	•

subcontractors about these rules and guidelines and enforce compliance at all times.

### **Nuisances**

Management must be notified at least 24 hours in advance of any work that could cause offensive odors, dust, fumes or volatile nuisances - for example, surface refinishing, chemicals or solutions, paint removers, varnishes or lacquers. Anyone using these compounds in or around the building without the approval of the Association will be required to immediately cease work and permanently remove all those materials.

The unit owner should ensure that materials used do not emit noxious, dangerous or volatile fumes. Unit doors may not be propped open.

### **Parking**

Limited contractor parking is available adjacent to the North garage exit door. The loading dock is for loading and unloading only. Contractor parking in the loading dock is not permitted. All contractor vehicles must be off the property by 5:00 p.m.

#### **Permits**

Either the unit owner or contractor shall obtain all necessary permits or licenses before commencing any work. All contractors must be bonded and licensed by the State of Florida. Contractors must supply a copy of applicable permits and licenses to the management office with the application for project approval.

### **Plumbing**

Installation of new toilets and sinks may require replacement of shut-off valves. Forty-eight hours advance notice is required so Management may notify residents that the water will be turned off in the tier(s) involved. All plumbing work that may require the water to be turned off should be scheduled to occur at one time. All plumbing must be done by a licensed contractor and a copy of the license must be provided with the project approval application.

### Security

Exterior doors shall not be propped open, except while material is actually being moved through the doors. The contractor, employees, agents and visitors are to restrict themselves to the unit while work is in progress.

Co.	owner	or	officer	initials:		Page	7
-----	-------	----	---------	-----------	--	------	---

### **Smoke Detectors**

When there is remodeling planned that could cause dust, the unit owner must make sure that the unit and hallway smoke detectors are covered to avoid triggering false alarms.

### Sprinkler System

If the sprinkler heads in a unit are subjected to heat, excessive dust or are hit they will activate, triggering all the sprinkler heads in the unit and initiating the building's life safety system. The unit owner will be responsible for any costs associated with accidental activation of the sprinklers or the fire alarm system.

Any shutdown to the fire protection system must be pre-scheduled with the Administrative Office. Sprinkler heads and feed pipes cannot be moved or reconfigured.

### Stone Work and Tile

No cutting is permitted on balconies or in the common elements. No water saws or other power tools may be operated on balconies. Carpeting is not permitted on balcony floors. If balconies are to be tiled, care must be taken to leave all existing caulking undisturbed. An Association representative must inspect all tiling jobs on balconies to validate that no damage was done to critical floor, wall or door caulk joints.

To minimize the transmission of sound between adjacent units, appropriate sound deadening material must be used. Wood, marble, stone and ceramic flooring must be installed over an underlayment with a sound transmission rating of 72 or greater with an approved adhesive.

See Appendix A for detailed information regarding tile installation on balconies and terraces.

### Strictly Prohibited Work

The use of jackhammers, chipping hammers or coring is strictly prohibited. Channeling the ceiling or concrete floors is not permitted. Cutting of concrete is strictly prohibited.

Any combustible materials placed above the finished ceiling or in any other concealed space are prohibited.

Any work that will affect the appearance or use of the unit or work that will diminish the strength of the structure of the building, the common elements, or any of the building's utility or life safety systems is prohibited.

	TI	ш	•	es
u	u	ш	ш	C 2

Rerouting of cable TV and/or other utility lines impinge on the common elements and must be approved by Management in advance. The use of hallway electrical outlets is not permitted.

Date: Unit Number:
Homeowner's Name (print):
I (contractor) have received and understand the Renaissance Home Improvement Rules. Two copies are attached. Company owner or corporate officer must initial each page and sign front cover page. Return one signed and initialed copy with all applicable job documentation and retain one for your records.
Company Name (printed):
Contractor/Job Supervisor Name (printed):
Contractor/Job Supervisor Telephone Number:
To be signed by company owner or corporate officer only:
Printed Name:
Signature:
Title:

### **Table of Contents**

Common Area Protection4
Conduct4
Debris4
Deliveries4
Electrical5
Fees5
Fire Safety Equipment5
Flammable Materials5
Hoisting5
Hours6
Inspection6
Liens6
Miscellaneous6
Nuisances7
Parking7
Permits7
Plumbing7
Security7
Smoke Detectors7
Sprinkler System8
Stone Work and Tile8
Strictly Prohibited Work8 Utilities8
Ounties 0
Appendix A9
Application Form16

### Introduction

While the Board of Directors recognizes the desire of an owner to make their unit conform to their own personal requirements, the Association must balance that desire with the rights of all owners. The following rules are intended to protect the safety and comfort of all residents and to preserve and protect the common elements of the building.

Any owner who desires to remodel a unit must comply with these rules and furnish a copy of these rules to any architect, designer, contractor and/or tradesperson who plans to perform work in the Renaissance. The Architectural Review Committee, who acts on behalf of the Board of Directors, must approve all work in advance. The owner must permit inspection of the unit by a representative of the Administrative Office at any time during construction and upon completion.

Prior to beginning any work, the owner must:

- Notify Management and provide a detailed written proposal or plan describing the scope of work to be performed (including the location and extent of any demising walls to be removed or installed). The owner's contractor must submit a detailed construction and work schedule prior to commencement of the work. The schedule should indicate the start of construction, duration of project and anticipated construction completion date.
- All plans must be certified by a registered architect or engineer and state that all work will be performed in accordance with the City of Sarasota Building Codes, the Declaration of Condominium of the Renaissance I Condominium Association, and these Home Improvement Rules.
- Retain only bonded contractors to perform the work. The Renaissance I Association must approve all contractors.
- Provide Management with a Certificate of Insurance for Workers Compensation, General Liability and Umbrella from either a homeowner's insurance carrier if the owner is performing the work, or the contractor's insurance carrier, naming as additional insured the Renaissance I Condominium Association.
- The use of jackhammers, chipping hammers or coring is strictly prohibited. Channeling the ceiling or concrete floors is not permitted. Cutting of concrete is strictly prohibited. See section detailing "Strictly Prohibited Work." The Renaissance I Board of Directors and Community Association Manager reserves the right to prohibit any tool or device that may cause structural damage, intolerable noise or nuisance, either prior to or during the actual work.

The insurance coverage must be provided by a company licensed by the State of Florida and must provide thirty (30) days written notice of expiration or cancellation.

Co. owne	r or officer in	itials:	Page 3
CO. UMIL	i oi oineei m	itiais.	

All work done within any unit must comply with the following rules.

### Common Area Protection

The contractor shall provide floor protection between the service elevator and the unit to prevent tracking dirt throughout the common areas. Any paint, dust or other stains or debris must be cleaned up immediately. The doors to the unit must remain closed while work is in progress. The contractor must protect building finishes. Any damage to the building will be charged to the unit owner. A second offense will lead to immediate removal of the contractor from the premises.

### Conduct

The unit owner is responsible for all actions of the unit owner's contractors, employees, agents and visitors. No loud, abusive or offensive language or actions will be permitted. Playing of music or radios that can be heard outside of the unit is not permitted. Inappropriate attire including, but not limited to short pants, shirtless or clothing with offensive messages will not be permitted. No smoking is permitted in the common areas.

### **Debris**

The unit owner is responsible for seeing to the removal of all debris. No debris may be left in the trash chute rooms, elevator alcoves, or put down the garbage chute. Disposal of construction debris is not permitted in the building compactor. If construction debris is found in the building compactor, the unit owner will be billed for the trash removal at a rate of not less than \$100.00 per incident.

### **Deliveries**

The unit owner must notify the Administrative Office who will authorize entry of the workers into the building each day the work is to be performed. The owner shall provide the contractor with a key to the unit if the owner will not be present. Do not provide a building entry key fob to contractors. When the contractor arrives, the Reception Desk personnel will ask them to sign the guest register and then permit access to the building via the service elevator. The Association will not make deliveries to the unit, and will not supervise workers in the absence of the owner.

Contractors must sign in and out each day in the logbook located at the Reception Desk. Scheduling deliveries of contractor equipment or material must be coordinated with the Administrative Office a minimum of 48 hours in advance of delivery. All contractor personnel, equipment, material and debris must be transported via the service elevator only.

Co. owner or officer	initials:	
		Page 4

Arrangements for the delivery of oversized materials must be made through the elevator maintenance contractor at the unit owner's expense. The service elevator has an opening door width of 48", with an 8' car depth and an 8' car height. The loading dock is located at the Northeast corner of the building, adjacent to the parking lot. This area is limited to loading and unloading only. Parking in this area is prohibited. Materials may not be stored in the dock areas, the service hallway, or any common element.

### **Electrical**

When electrical service upgrades are planned, the unit owner must obtain approval by a licensed electrical engineer of the load data sheets and panel schedules. All wiring must be copper. Aluminum feeders or connectors are not permitted. All electrical wiring must meet code. A copy of the electrician's license must be provided with project approval application.

### **Fees**

Any legal or engineering fees incurred by the Association as a result of the unit owner's remodeling project shall be charged to, and reimbursed by the unit owner.

### **Fire Safety Equipment**

Contractors performing tile work, painting, and installations of wall coverings or cabinetry are not permitted to remove or turn off the electrical circuits to the smoke alarms or fire safety equipment. When this equipment is turned off there is a serious safety issue.

### Flammable Materials

Volatile or flammable materials must be enclosed in an unbreakable and safe container. Welding or cutting torches are not permitted. All contractors, residents and other parties on the premises are not permitted to smoke during the use of any flammable material. Any hazardous materials and flammable materials must be removed from the unit premises each day.

### Hoisting

Any hoisting of materials must be scheduled and coordinated with the Association a minimum of 48 hours prior to the time needed for the deliveries.

All material to be hoisted must be delivered to the loading dock and moved to the work area immediately. Material may not be left or stored at the loading dock, or block or limit the use of the facility in any way. Parking or blocking of the roadway leading to the loading dock is subject to towing or removal at the contractor's expense.

Co.	owner	or	officer	initials:		Page	5
-----	-------	----	---------	-----------	--	------	---

### Hours

All work shall be performed between the hours of 8:00 a.m. through 5:00 p.m. Monday through Friday for construction and deconstruction work, and 11:00 a.m. through 5:00 p.m. on Saturdays for quiet work, e.g., painting. No work may be performed on Sundays or holidays.

### Inspection

Management reserves the right to inspect all remodeling work and to stop the work if it is not in compliance with the project that was approved within these Rules. If unapproved work is performed, the unit owner must restore the unauthorized work to its original condition at the owner's expense.

### Liens

The contractor or sub contractor shall have no authority to place a lien upon the Condominium Association or any interest therein.

### Miscellaneous

Management will provide the building plans for review upon the unit owner's request, but the plans may not be removed from the building Administrative Office.

All tools, building materials and personnel will travel by the service elevator only.

All tools, materials and equipment must remain within the unit and may not be stored in any of the common areas, including the loading dock area.

Employees of the Renaissance I Condominium Association may not loan out any tools or equipment.

Contractors are not permitted to smoke in the common areas, including, but not limited to the lobby, hallways, stairwells, etc.

Screens may only be placed on the interior of the sliding glass doors inside the unit. See the Community Association Manager for information about local "roll-up" screen vendors.

No nailing or screwing is permitted in the concrete ceilings and floors to prevent interference with embedded post-tensioning cables. An errant screw or nail that pierces a cable could result in major damage to the building infrastructure and could expose the owner to serious liability claims.

The unit owner is responsible for compliance with all Home Improvement Rules. It is the unit owner's responsibility to provide a copy of these Home Improvement Rules to every contractor, and the contractor must instruct his employees and

Co. owner or officer initials:	Page 6
Co. Owner of officer initials.	

subcontractors about these rules and guidelines and enforce compliance at all times.

### **Nuisances**

Management must be notified at least 24 hours in advance of any work that could cause offensive odors, dust, fumes or volatile nuisances - for example, surface refinishing, chemicals or solutions, paint removers, varnishes or lacquers. Anyone using these compounds in or around the building without the approval of the Association will be required to immediately cease work and permanently remove all those materials.

The unit owner should ensure that materials used do not emit noxious, dangerous or volatile fumes. Unit doors may not be propped open.

### **Parking**

Limited contractor parking is available adjacent to the North garage exit door. The loading dock is for loading and unloading only. Contractor parking in the loading dock is not permitted. All contractor vehicles must be off the property by 5:00 p.m.

### **Permits**

Either the unit owner or contractor shall obtain all necessary permits or licenses before commencing any work. All contractors must be bonded and licensed by the State of Florida. Contractors must supply a copy of applicable permits and licenses to the management office with the application for project approval.

### **Plumbing**

Installation of new toilets and sinks may require replacement of shut-off valves. Forty-eight hours advance notice is required so Management may notify residents that the water will be turned off in the tier(s) involved. All plumbing work that may require the water to be turned off should be scheduled to occur at one time. All plumbing must be done by a licensed contractor and a copy of the license must be provided with the project approval application.

### Security

Exterior doors shall not be propped open, except while material is actually being moved through the doors. The contractor, employees, agents and visitors are to restrict themselves to the unit while work is in progress.

Co.	owner	or	officer	initials:	

### **Smoke Detectors**

When there is remodeling planned that could cause dust, the unit owner must make sure that the unit and hallway smoke detectors are covered to avoid triggering false alarms.

### **Sprinkler System**

If the sprinkler heads in a unit are subjected to heat, excessive dust or are hit they will activate, triggering all the sprinkler heads in the unit and initiating the building's life safety system. The unit owner will be responsible for any costs associated with accidental activation of the sprinklers or the fire alarm system.

Any shutdown to the fire protection system must be pre-scheduled with the Administrative Office. Sprinkler heads and feed pipes cannot be moved or reconfigured.

### Stone Work and Tile

No cutting is permitted on balconies or in the common elements. No water saws or other power tools may be operated on balconies. Carpeting is not permitted on balcony floors. If balconies are to be tiled, care must be taken to leave all existing caulking undisturbed. An Association representative must inspect all tiling jobs on balconies to validate that no damage was done to critical floor, wall or door caulk joints.

To minimize the transmission of sound between adjacent units, appropriate sound deadening material must be used. Wood, marble, stone and ceramic flooring must be installed over an underlayment with a sound transmission rating of 72 or greater with an approved adhesive.

See Appendix A for detailed information regarding tile installation on balconies and terraces.

### Strictly Prohibited Work

The use of jackhammers, chipping hammers or coring is strictly prohibited. Channeling the ceiling or concrete floors is not permitted. Cutting of concrete is strictly prohibited.

Any combustible materials placed above the finished ceiling or in any other concealed space are prohibited.

Any work that will affect the appearance or use of the unit or work that will diminish the strength of the structure of the building, the common elements, or any of the building's utility or life safety systems is prohibited.

Co.	owner	or	officer	initials:		Page 8
-----	-------	----	---------	-----------	--	--------

### **Utilities**

Rerouting of cable TV and/or other utility lines impinge on the common el	ements
and must be approved by Management in advance. The use of hallway e	lectrical
outlets is not permitted.	